




① Features

- ① Front Access USB2.0 x2
- ② 120mm x1 Cooling Fan
- ③ Power and HDD LED
- ④ Power and Alarm Reset Switch

② Product Overview



Front view



Inside view



Side view



Rear view



Power/ Reset button
HDD LED Indicators
2x USB 2.0



Security Keylock

D-402

4U Compact Rackmount Chassis

3 Product Introduction

The 4U form factor chassis accepts 7 full-height expansion cards and 12"x9.6" ATX / Micro ATX motherboards. The rackmount chassis provides your server a sturdy structure, reliability and performance.

The D-402 series is formed around a group of integrations of a single common all steel chassis design. The D-402 Rack Chassis is 17.7inch of solid performer in its ability to ruggedly house the most demanding applications. The D-402 Enclosure features a lockable front door that secures four front accessible 5.25" drive bays for fixed or removable media as well as optional internal brackets that based on unit configuration can host one to two external internal 3.5" drives. This is the ideal high capacity, low profile, (only 4U high) system or server enclosure. Single or dual front mounted power supplies on some integrations and single unit high capacity power subsystems on other integrations. The D-402 series rackmount and table top enclosure is one of the most "convertible" chassis designs available in the IPC Marketplace


4 Specifications

Dimension	(482.9 x 177 x 452.3 mm) (19.00 x 7.00 x 17.70 inches)
M/B Form Factor	ATX, Micro ATX
5.25" Ext. Bay	3
3.5" Ext. Bay	1
3.5" Int. Bay	1
3.5" Hot-Swap Bay	0
2.5" Hot-Swap Bay	0
2.5" Int. Driver	0
Slim FDD	0
Slim ODD	0
Expansion Slots	7
Rear Window	Standard
Security	Keylock
Front I/O	2xUSB2.0
Color of bezel	Black
Indicator	Power on/off, HDD
Switch	Power on/off, Reset, keyboard lock
Front Bezel	Aluminum 3.0mm
Body	SGCC 1.2mm
Air Filter	yes
Standard fan	1x120mm
Optional Fan	1x80mm

D-402

4U Compact Rackmount Chassis

5 2D Drawing



Value Rackmount