

① Features


- ① Front Access USB2.0
- ② 120mm x1 Cooling Fan
- ③ Power and HDD LED
- ④ Power and Alarm Reset Switch
- ⑤ Black Color Option
- ⑥ Support PICMG Backplane up to 14 Slots



② Product Overview



Front view



Inside view




Side view



Rear view



Power/ Reset button
HDD LED Indicators
2x USB 2.0



Security Keylock

D-402A-14

4U Compact Rackmount Chassis with 14 slots

3 Product Introduction

The 4U form factor chassis accepts 14 full-height expansion cards and 12"x9.6" ATX / Micro ATX motherboards. The rackmount chassis provides your server a sturdy structure, reliability and performance.

The D-402A-14 series is formed around a group of integrations of a single common all steel chassis design. The The D-402A-14 Rack Chassis is 17.8 inches of solid performer in its ability to ruggedly house the most demanding applications. The D-402A-14 Enclosure features a lockable front door that secures four front accessible 5.25" drive bays for fixed or removable media as well as optional internal brackets that based on unit configuration can host one external internal 3.5" drive. This is the ideal high capacity, low profile, (only 4U high) system or server enclosure. Single or dual front mounted power supplies on some integrations and single unit high capacity power subsystems on other integrations.


4 Specifications

M/B Form Factor	backplane
5.25" Ext. Bay	3
3.5" Ext. Bay	0
3.5" Int. Bay	1
3.5" Hot-Swap Bay	0
2.5" Hot-Swap Bay	0
2.5" Int. Driver	0
Slim FDD	0
Slim ODD	0
Expansion Slots	14
Rear Window	Standard
Security	Keylock
Front I/O	2xUSB2.0
Color of bezel	Beige or Black
Indicator	power on/off,HDD
Switch	Power on/off, Reset
Front Bezel	SGCC 1.0mm
Body	SGCC 1.2mm
Air Filter	yes
Standard fan	1x120mm
Optional Fan	0
Dimension (WxHxD)	483x177x452mm; 19.01x7x17.8inches

D-402A-14

4U Compact Rackmount Chassis with 14 slots

5 2D Drawing



Value Rackmount