

D-416-14

4U Compact Stylish Rackmount Chassis

① Features


- ❶ Supports Front Access USB2.0 x2
- ❷ Power and HDD LED
- ❸ Power and Reset Switch
- ❹ Supports ATX PS2 Power Supply
- ❺ Supports EATX M/B(D-416, 7 slots)
- ❻ Supports PICMG PCB board(D-416-14, 14 slots)



② Product Overview



Front view



Inside view



D-416-14, 14 slots Rear view



D-416, 7 slots Rear view



Power button
HDD LED/ Reset Switch
2x USB 2.0



Top view

D-416-14

4U Compact Stylish Rackmount Chassis

③ Product Introduction

D-416 is a reliable and stable 4U-high server chassis. The full size I/O supports all ATX motherboard with a Dual-Core/ Quad-Core processor and the backplane supports 7 full-height add-on cards. This chassis is 21" deep and has optional three 80mm cooling fans (one fan bracket optional) in the center and two 60mm fans at rear for air ventilation. In addition, D-416 supports a standard ATX PS2 power supply to meet regular server system applications.

④ Specifications

Form Factor (U=1.75)	4U
Dimension (WxHxD)	482.6 x 177.6 x 523 mm 19.00 x 6.99 x 20.59 inches
M/B Form Factor	EATX,ATX,Micro ATX (7 slots), PICMG(14 slots)
5.25" Ext. Bay	6
3.5" Ext. Bay	0
3.5" Int. Bay	2
3.5" Hot-Swap Bay	0
2.5" Hot-Swap Bay	0
2.5" Int. Driver	0
Slim FDD	0
Slim ODD	0
Expansion Slots	7or14
Rear Window	Standard
Security	Keylock
Front I/O	2xUSB2.0
Color of bezel	Black
Color of Hot-Swap tray	n/a
Indicator	Power on/off,HDD
Switch	Power on/off,Reset
Front Bezel	Aluminum
Body	SECC 1.2mm
Handle	Aluminum
Air Filter	n/a
Standard fan	0
Optional Fan	3x80mm,2x60mm


D-416-14

4U Compact Stylish Rackmount Chassis


Value Rackmount

5 2D Drawing

Standard x 14



Standard x 7






60mm Fan x 2 (optional)


80mm Fan x 3 (optional)

12" x 13" EATX

PS2 Power or mini redundant





3.5" HDD x 2



Power switch

Power LED



5.25" x 6 bay

Reset

HDD LED

USB2.0 x 2

